KCIYMOSSY 杭州凯莫思生化科技有限公司 Kaimosi BioChem Tech Co., Ltd

Material Safety Data Sheet

Page 1 / 9 Creation Date16-May-2021 Revision Date 06-Mar-2023 Version 1

Allyl bromide

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Description: Allyl bromide

Cat No. : A11766

Synonyms 3-Bromopropene

CAS No 106-95-6 Molecular Formula C3H5Br

Supplier Company name: Kaimosi BioChem Tech Co., Ltd

Company address: Suite# 80G, No. 1 Building, Guodu Development Mansion,

No. 182 Zhaohui Road, Hangzhou China.

Phone Number: +86-571 87191913 Fax Number: +86-571 87562572

Recommended Use Laboratory chemicals.
Uses advised against No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical StateAppearanceOdorLiquidNo information availableStench

Emergency Overview

Highly flammable liquid and vapor. Toxic if swallowed. Toxic if inhaled. Causes severe skin burns and eye damage. May cause genetic defects. May cause respiratory irritation. May cause cancer. Very toxic to aquatic life. Sensitivity to light. Stench.

Lachrymator (substance which increases the flow of tears).

Classification of the substance or mixture

Flammable liquids.	Category 2
Acute Oral Toxicity	Category 3
Acute Inhalation Toxicity - Vapors	Category 3
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1B
Specific target organ toxicity - (single exposure)	Category 3
Acute aquatic toxicity	Category 1

Label Elements

Allyl bromide



Signal Word

Danger

Hazard Statements

- H225 Highly flammable liquid and vapor
- H314 Causes severe skin burns and eye damage
- H340 May cause genetic defects
- H335 May cause respiratory irritation
- H350 May cause cancer
- H400 Very toxic to aquatic life
- H301 + H331 Toxic if swallowed or if inhaled

Precautionary Statements

Prevention

- P240 Ground and bond container and receiving equipment
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P241 Use explosion-proof electrical/ ventilating/ lighting equipment
- P242 Use non-sparking tools
- P243 Take action to prevent static discharges
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P280 Wear protective gloves/protective clothing/eye protection/face protection

Response

- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P330 Rinse mouth
- P331 Do NOT induce vomiting
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P362 + P364 Take off contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Vapors may cause flash fire or explosion. Highly flammable.

Health Hazards

Toxic if swallowed. Toxic if inhaled. Harmful if inhaled. Corrosive. Causes skin and eye burns. Causes serious eye damage. May cause genetic defects. May cause respiratory irritation. May cause cancer. Lachrymator (substance which increases the flow of tears)

Environmental hazards

Very toxic to aquatic life. Will likely be mobile in the environment due to its volatility. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

Other Hazards

Lachrymator (substance which increases the flow of tears)

Stench. Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

Page 3 / 9 Revision Date 06-Mar-2023

Allyl bromide

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Allyl bromide	106-95-6	>95
Propylene oxide	75-56-9	<=0.1

SECTION 4. FIRST AID MEASURES

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eve Contact

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects

Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Water may be ineffective.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Do not allow run-off from fire-fighting to enter drains or water courses.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Allyl bromide

Page 4 / 9 Revision Date 06-Mar-2023

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Storage

Keep away from heat, sparks and flame. Flammables area. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	China	Taiwan	Thailand	Hong Kong
Propylene oxide	TWA: 5 mg/m ³	TWA: 20 ppm	TWA: 100 ppm	_
		TWA: 48 mg/m ³		

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Allyl bromide	TWA: 0.1 ppm			_	
	STEL: 0.2 ppm				
	Skin				
Propylene oxide	TWA: 2 ppm	(Vacated) TWA: 20	IDLH: 400 ppm	STEL: 3 ppm 15 min	TWA: 2.4 mg/m ³ (8h)
		ppm		STEL: 7.2 mg/m ³ 15	TWA: 1 ppm (8h)
		(Vacated) TWA: 50		min	
		mg/m³		TWA: 1 ppm 8 hr	
		TWA: 100 ppm		TWA: 2.4 mg/m ³ 8 hr	
		TWA: 240 mg/m ³		Carc.	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Allyl bromide

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Butyl rubber Nitrile rubber	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
Neoprene PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143 Acid gases filter Type

E Yellow conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask: - Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance No information available

Physical State Liquid

Odor Stench

Odor Threshold
pH
No information available
No information available
Melting Point/Range
-119 °C / -182.2 °F
Softening Point
No data available

Boiling Point/Range 70 - 71 °C / 158 - 159.8 °F @ 760 mmHg

Page 6/9 Revision Date 06-Mar-2023

Allyl bromide

Flash Point -1 °C / 30.2 °F

Evaporation Rate No data available Not applicable Flammability (solid,gas)

Explosion Limits Lower 4.4 Vol%

Upper 7.3 Vol% 147 mbar @ 20 °C

Vapor Pressure

4.2 Vapor Density

Specific Gravity / Density 1.390

Not applicable **Bulk Density** Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Allyl bromide 1.79 Propylene oxide

Autoignition Temperature 295 °C / 563 °F **Decomposition Temperature** No data available **Viscosity** No data available

Explosive Properties

Molecular Weight

Oxidizing Properties No information available

Molecular Formula C3 H5 Br

Method - No information available

Vapors may form explosive mixtures with air

Liquid

(Air = 1.0)

Liquid

SECTION 10. STABILITY AND REACTIVITY

Light sensitive. Stability

Hazardous Reactions None under normal processing. **Hazardous Polymerization** Hazardous polymerization may occur.

120.98

Keep away from open flames, hot surfaces and sources of ignition. Exposure to light. **Conditions to Avoid**

Incompatible products.

Materials to avoid Strong oxidizing agents. Strong bases. Metals. Amines.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen halides.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity;

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Allyl bromide	LD50 = 120 mg/kg (Rat)		10 g/m³ 30 min (Rat)
Propylene oxide	LD50 = 520 mg/kg (Rat)	LD50 = 1244 mg/kg (Rabbit)	9.48 mg/L (Rat)4 h

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available

Allyl bromide

Skin No data available

(e) germ cell mutagenicity; Category 1B

Mutagenic effects have occurred in humans

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Propylene oxide	Carc Cat. 1B			Group 2B

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

The toxicological properties have not been fully investigated. Other Adverse Effects

Symptoms / effects, both acute and

delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects Very toxic to aquatic organisms. The product contains following substances which are

hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Propylene oxide	LC50: = 215 mg/L, 96h	EC50: = 350 mg/L, 48h	EC50: = 240 mg/L, 96h	EC50 = 3300 mg/L 160
	static (Lepomis macrochirus)	(Daphnia magna)	(Pseudokirchneriella subcapitata)	min

Persistence and Degradability

Persistence

Degradation in sewage treatment plant

Expected to be biodegradable

Persistence is unlikely, based on information available.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulation is unlikely **Bioaccumulative Potential**

Component	log Pow	Bioconcentration factor (BCF)
Allyl bromide	1.79	No data available
Propylene oxide	1	No data available

Mobility in soil The product contains volatile organic compounds (VOC) which will evaporate easily from all

surfaces Will likely be mobile in the environment due to its volatility Disperses rapidly in air

Allyl bromide

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors
This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Page 8/9

Revision Date 06-Mar-2023

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition

empty container away from heat and sources of ignition.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

UN-No UN1099

Proper Shipping Name ALLYL BROMIDE

Hazard Class 3 Subsidiary Hazard Class 6.1 Packing Group

IMDG/IMO

UN-No UN1099

Proper Shipping Name ALLYL BROMIDE

Hazard Class 3 Subsidiary Hazard Class 6.1 Packing Group |

IATA_

UN-No UN1099

Proper Shipping Name ALLYL BROMIDE

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group

Special Precautions for User No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

	•	List of dangerous goods GB 12268 - 2012	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Allyl bromide	X	X	X	X	203-446-6	X		l x	X	Х	X	

Page 9/9 Revision Date 06-Mar-2023

Allyl bromide

Propylene oxide	X	Х	Х	X	200-879-2	Х	X	X	X	Х	X	KE-24565	

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements				
Propylene oxide	5 tonne	50 tonne				

National Regulations

SECTION 16. OTHER INFORMATION

Health, Safety and Environmental Department Prepared By

Creation Date 16-May-2021 **Revision Date** 06-Mar-2023

Revision Summary New emergency telephone response service provider.

Training Advice

Chemical incident response training.

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

> ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Physical hazards On basis of test data Calculation method **Health Hazards Environmental hazards** Calculation method

Other Information

The information above is believed to be accurate and represents the best information currently available to us. It does not purport to be all-inclusive and shall be used only as a guide. Kaimosi BioChem Tech Co., Ltd shall not be held liable for any damage resulting from handling or from contact with the

above product.